



This work is licensed under the Creative Commons Attribution-Noncommercial-Share Alike 3.0 United States License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/3.0/us/> or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California, 94105, USA.

## INDEX

- Abies alba*, 508  
*Acacia aneura*, 579  
Acanthoceridae, 576  
Acanthodrilidae, 518  
Acarina *see* mites, 506  
*Acer saccharum* Marsh, 588  
Aclopiinae, 576  
*Adela* spp., 502, 510  
*Aenigmopus alatus*, 551  
agricultural practices, effects on soil, 638  
agriculture, definition, 637  
agriculture as multi-story polyculture, 639  
agriculture, sustainable, 639  
agroecosystems, indicators of distress, 640  
agroecosystems, sustainable, 639  
Ah horizons, 475  
amoebae, 619  
ant-lions, 573  
Anthribidae, 574  
ants, 506, 572, 577  
ants as indicators of soil conditions, 641  
*Anurophorus*, 563  
Aphodiinae, 576  
*Aporrectodea tuberculata* (Eisen), 591  
Arachnida, 524, 582  
arachnids, soil, phylogeny, 534  
    supraspecific classification, 534  
    systematics, 525  
Artemetopoidea, 574  
Arthronota, 534  
Arthrotyctima, 534  
Astigmata, 525  
Attini, 579  
bacterial gel, 619  
Ballophilidae, 552  
bark beetles, 502  
Berlese Oribatei, 500  
Bibionidae, 510  
*Bilobella aurantiaca* Caroli, 565  
Blattodea, 573  
booklice, 573  
Bostrychoidea, 574  
*Bourletiella lutea*, 508  
*Bourletiella* spp., 507  
*Brachycybe*, 551  
BSEI, 610  
bugs, 573  
Buprestidae, 502, 574  
Buprestoidea, 574  
butterflies, 573  
Byrrhoidea, 574  
caddisflies, 572  
*Camponotus intrepidus*, 577  
Cantharidae, 574  
Cantharoidea, 574  
Carabidae, 573–574, 576  
Caraboidea, 574  
centipedes, 524  
*Cephalotoma grandiceps*, 507  
Cerambycidae, 502, 574, 576  
Cetoniidae, 502  
Cetoniinae, 576–577  
Chelodesmidae, 547  
Chernozem, 605  
Chilopoda, 544, 548–549  
    checklists, 548  
    regional surveys, 548  
Chironomidae, 510  
Chordeumatida, 547  
Chrysomelidae, 574, 576  
Chrysomeloidea, 574  
Cleidogonidae, 547  
Cleridae, 574  
Cleroidea, 574  
Coccinellidae, 574  
cockroaches, 573  
Coleoptera, 502, 511, 572–573, 575, 582  
    larvae, 502  
Collembola, 500, 502–503, 507–509, 524, 559  
    aggregations on snow, 561  
    anhydrobiosis, 561  
    behaviour, 561  
    chaetotaxy, 564  
    cyclomorphosis, 564  
    cytogenetics and physiology, 564  
    dependence on moisture, 561  
    ecomorphosis, 563  
    effects of pollution and human activities, 562

- epitoky, 563
- fecal pellets, 479
- feeding and nutrition, 559
- reproductive biology, 560
- response to water supply, 652
- Conotylidae, 547
- coprophagy, 589
- Coprosphere, 593
- crickets, 506, 573
- Cryptocephalinae, 576
- Cryptostigmata, 524
- CTEM, 610
- Ctenacaridae, 528
- Cucujoidea, 574–575
- Cupedoidea, 574
- Curculionidae, 502, 574, 576
- Curculionoidea, 574
- Dascilloidea, 574
- Dendrobaena octaedra* (Savigny), 591
- Dendrobaena rubida*, 503, 505, 513
- Dendrodrilus rubidus* (Savigny), 591
- Dermaptera *see* earwigs, 573
- Dermestoidea, 574
- Diplocardia*, 518
- Diplopoda, 500, 502, 544–545, 547–549
  - checklists, 548
  - regional surveys, 548
- Diptera, 573
  - larvae, 477, 499, 502–503
- Dragonflies, 572
- Dryopidae, 511
- Dryopoidea, 574
- Dryops rudolfi*, 499, 510–512
- dung beetles, 506
- Dynastidae, 502
- Dynastinae, 576
- earthworm casts, 478
- earthworm fecal pellets, 478
- earthworms, 477, 500, 502–503, 517, 588
  - mineralization of carbohydrates, 621
- earthworms and soil development, 474
- earthworms, anecic, 500, 503, 506
- earthworms, endogeic, 500, 503, 505
- earthworms, epigeic, 500, 502, 505
- earwigs, 573
- Edaphophyllosphere, 593
- EDXRA, 610
- Eisenia foetida*, 503, 513
- Eisenia lucens*, 513
- Elateridae, 503, 574, 576
- Elateroidea, 574
- Embiodera, 572
- Enchytraeidae, 477, 507, 510
- Endeostigmata, 528
- Entomobryidae, 565
- Enzymes, 623
- EPMA, 610
- Euarthronota, 534
- Eucinetoidea, 574
- Eumolpinae, 576
- Eupelops*, 526
- Eupodidae, 527, 530, 533
- fecal pellets, 479, 588, 591
  - construction units, 599
  - soil microstructure, 599
- fecal rain, 589
- Fensterfrass, 500
- fertilizers and pesticides, 637
- flagellates, 619
- fleas, 572
- flies, 573
- Folsomia* spp., 503, 507
- food web, decomposer, 646
- Formica cinerea*, 580
- Formicidae *see* ants, 572
- Fraxinus* spp., 588
- Friesea* spp., 507
- fungi and bacteria, 622
- Gaeumannomyces, 620
- Geolycosa*, 590
- geophagy, 589
- Geophilomorpha, 548–549
- Geotrupidae, 576
- Glomeris* spp., 500
- Glyceria maxima*, 512
- Gomphodesmidae, 547
- Grandjeanicus*, 528
- grasshoppers, 573
- Grylloblattodea, 572
- Haeckel's biogenetical law, 502
- Harpagophoridae, 547
- Harpaphe haydeniana*, 552

- harvestmen, 524  
 Hemiptera *see* bugs, 573  
 Heterostigmata, 530  
 Hexapoda, 582  
 Histeridae, 574  
 Histeroidea, 574  
 history of soil zoology, 369–472  
 Humic fecal pellets, 478  
*humon*, 475  
 Hybosorinae, 576  
 Hydrophilidae, 574  
 Hydrophiloidea, 574  
 Hymenoptera, 506, 572  
*Hypochtonius* sp., 508  
*Hypogastrura*, pheromones, 561  
     phototaxis, 561  
*Hypogastrura socialis* (Uzel), 560  
*Hypogastrura* spp., 507  
*Hypogastrura tullbergi* (Schäffer), 564  
 Hypogastruridae, 563  
 IMMA, 611  
*Iridomyx purpureus*, 579  
 Isopoda, 500, 502  
 isopods, 588  
 Isoptera, 572, 578, 582  
*Isotoma*, 560  
*Isotoma nivea* Schäffer, 564  
*Isotoma* spp., 507  
*Isotoma tigrina* (*olivacea* auct.), 563  
 Isotomidae, 563  
 Julida, 548  
*Julus*, 544  
*Julus* spp., 500  
 kingfisher, belted, 590  
 Krotovinas, 605  
 lace wings, 573  
 LAMNA, 611  
 leaf litter, decomposition of, 614  
 Lepidoptera, 573  
 lice, 572  
 Lithobiomorpha, 548  
*Lithobius*, 544  
 Litter disintegration in a forest soil, 503,  
     588  
 Lochfrass, 500  
 Lucanidae, 502, 576  
 Lumbricidae, 503, 513  
*Lumbricus rubellus* Hoffmeister, 591  
*Lumbricus terrestris* L., 588, 591  
 Lycidae, 574  
 Lycoridae, 500, 502, 510  
 Lymexyloidea, 574  
 macroarthropod droppings, 503  
 macroarthropods, 503  
*Macrotermes* species, 599  
 Mantodea, 572  
 Mecoptera *see* scorpion flies, 572  
*Megaceryle a. alycon*, 590  
*Megalothorax minimus*, 507  
 Megascolecidae, 518  
 Meloidae, 574  
*Melolontha* spp., 510  
 Melolonthinae, 576–577  
 Melyridae, 574  
 Membrane systems, 623  
*Meranoplus*, 581  
 Merchant-Crossley extractor, 669  
*Mesaphorura* spp., 502, 507  
 Mesostigmata, 524  
     edaphic members, 533  
     metavughs, mammilated, 599, 602  
*Micranurida* spp., 507  
 microbial gums, 619  
 microbial polysaccharides, 619  
 microbial slimes, 620  
 microcosms, 620  
 microfabrics, spongy, 474  
 microstructure formation, processes, 499  
 mites, development, 529  
     fecal pellets, 506  
     fungivorous, 524  
     fungivorous oribatid, 524  
     fungivorous prostigmatid, 524  
     gut enzymes, 526  
     gut microflora, 526  
     mycophagy, 524, 527  
     nutrition, 525  
     population dynamics, 525, 529  
     predation, 524  
     saprophagy, 524, 527  
     sarcoptiform, 528  
 mites, mycophagous soil, taxonomy and

- monographs, 533
- mites, oribatid, cannibalism, 525
  - nutrition, 525
- mites, phthiracarid, 500
- mites, saprophagous, comminution, 530
- mites, saprophagous soil, taxonomy and monographs, 533
- modexi*, 475
- Monera, 526
- mor humus, 474
- moths, 573
- mucigel, 619
- Mull, 500
- mull humus, 474
- Mycetophilidae, 500, 502, 510
- Mycoridae, 510
- Myremecia pilosula*, 577
- Myremeleontidae *see* ant-lions, 573
- Myriapoda, 582
  - diversity, 545
  - knowledge, 544
  - morphology, 549
  - systematics, 544
- Myriapodology, history, 544
- Neanura* spp., 507
- Neanuridae, 565
- Necrosphere, 593
- Nematocera, 500
  - larvae, 502
- nematodes, bacteriophagous, 524
- nematodes, predatory, as soil indicators, 641
- Neuroptera, 573
- Nidusphere, 593
- Nitidulidae, 574
- nova* (Oudemans), *Oppiella*, 527
- Octolasion tyrtaeum* (Savigny), 591
- Odonata, 572
- Odontopygidae, 547
- Ommatoiulus moreleti*, 550
- Oniscus asellus* L., 588
- Onychiuridae, 503
- Onychiurus armatus*, contamination with lead and copper, 562
- Onychiurus* spp., 503, 507
- Opisthogoneata, 544
- Oppiella nova* (Oudemans), 527
- Orchesella cincta*, 509
- Orchesella* spp., 507
- Organics of submicron size, 620
- organo-clay complexes, 475
- Oribatei, 500, 506–508
- Oribatida, 524
- Oribatidae, K-selection, 530
- Orthoptera, 573
- owl, burrowing, 590
- Oxydesmidae, 547
- Paradoxosomatidae, 547, 549
- Parajulidae, 548, 551
- parasitic bacteria, 619
- Paratullbergia callipygos*, 507
- Passalidae, 502, 576
- Passalus* sp., 502
- Paupoda, 544–545, 549
- pedology, interface with biology, 596
- pedoturbation, faunal, 605
- Phasmatodea, 572
- Pheretima*, 518
- Phgmephoridae, 527
- Phthiracaridae, 507
  - xylophagy, 526
- Phthiracarus*, 526
- Phthiraptera, 572
- pitchmoder rendzina, 507
- plant tissues in soil, bacterial decomposition, 614
- Platynothrus poltifer* (Koch), 529
- poltifer* (Koch), *Platynothrus*, 529
- Polydesmida, 547
- polysaccharides, 622
- polysaccharides, extracellular, 622
- predators in soil, 641
- preying mantises, 572
- Proctostephanus*, 563
- Progoneata, 544
- Prostigmata, 524, 527
- Protacarus*, 528
- Protacarus crani*, 528
- Pselaphidae, 574
- pseudoscorpions, 524
- Pseudosinella* spp., 507
- Pterygota, 572–573

- Pygmephoridae, 533  
 rabbit, cottontail, 591  
 rendzina soils, 506  
 Rhiscosomididae, 547  
*Rhisotritia minima*, 500  
 rhizoflora, 619  
 rhizosphere microflora, functions of, 619  
*Riparia r. riparia*, 590  
 root exudates, 612  
 root mucilages, 612  
 root tissues, 612  
 Russian Chernozems, 474  
 Rutelinae, 576–577  
 Scarabaeidae, 574, 576–577  
 Scarabaeinae, 576  
 Scarabaeoidea, 574, 576  
 Scolopendromorpha, 548  
 Scolytidae, 502  
 scorpion flies, 572  
 Scutacaridae, 527, 533  
 Scutigeromorpha, 548  
 SEM, 610  
*Sigmoria*, 547  
 SIMS, 611  
 Siphonaptera, 572  
*Sminthurus* spp., 507  
*Sminthurus viridis*, 507  
 Soil, drainage, 518  
*soil aeration*, 518  
 soil animals, 587
  - Beneficial effects, 638
  - microcommunities, 587
  - microcommunities, 650
  - taxonomic challenge, 649
 soil arthropod densities, predation in regulating, 524  
 soil fabrics, decomposition of organic matter, 602
  - faunal influence, 587, 596
  - organic luminae, 598
  - transformation, 652
  - ultrahistochemical analysis, 628
 soil fabrics, decomposition of, 589
  - organic matter, 590
 soil fabrics, enaulic, 475  
 soil fabrics, granic, 476  
 soil fabrics, granoidic, 476  
 soil fabrics, granoidic porphyric, 476  
 soil fabrics, monic, 475  
 soil fabrics, porphyric, 476  
 soil fauna, comminution of plant debris, 652
  - regulation of soil systems, 653
  - relationship with structure, 646
 soil fauna as a resource, 639  
 soil fauna coenoses, 499  
 soil homogenization, land reclamation, 605  
 soil invertebrates, dissection, 673  
 Soil litter, 587  
 soil litter components, 588  
 soil materials, f-matrix, 475
  - f-member, 475
 soil mesofauna, 503  
 soil microfabrics, 474  
 soil micromorphology, 498
  - application, 661
  - collecting samples, 658
  - definition, 657
  - preparation of samples, 659
  - sampling, 658
  - techniques for study, 657
 soil microstructure formation, 473, 589
  - processes, 500, 507
 soil nematode densities, predation in regulating, 524  
 soil pests, 638  
 soil systems, structure and function, 653  
 soil texture, trophic interactions, 648  
 Soil zoology, history of, 369–472  
 soils, amorphous and granular materials,
  - submicron size, 621
  - arthropod moder, 500
  - carbohydrates, 621
  - cross hatching, 598
  - decomposers, 499, 506
  - development of humus forms, 502
  - fibrous or lamellate materials,
    - submicron size, 621
  - humic substances, 622
  - lamellar fabrics, 598
  - lenticular fabric, 598
  - materials in animals and their remains,

- 614
- mesh fabrics, 599
- micro fabrics, 596
- microarthropod droppings, 503
- microarthropod moder, 500
- microhabitats, 650
- physical dimensions, 611
- Prairie Parkland Region, 479
- predator-prey interactions, 648
- secondary sources of organic matter, 614
- sources of organic matter, 612
- sources of organic matter in soils, 623
- thin sections, 498, 661
- ultracytochemistry, 611, 628
- soils fabrics, physical and chemical stabilization, 611
- soils, biochemical properties of, 611
- soils, materials in aerial organs, 612
- soils, pedzolic, termites, 599
- soils, regional, Boreal Forest Region, 478
  - Forest-Tundra Transition Region, 477
  - North American Prairies, 474
  - Northern Tundra Region, 476
  - Southern Tundra Region, 476
- soils, study of, back scattered electron detection, 610
  - conventional-transmission electron microscopy, 610
  - electron probe microanalysis, 610
  - energy dispersive X-ray analysis, 610
  - ion microprobe mass analysis, 611
  - laser microprobe mass analysis, 611
  - philosophical challenges, 649
  - physical properties, 610–611
  - scanning electron microscopy, 610
  - scanning-transmission electron microscopy, 610
  - secondary ion mass spectrometry, 611
  - wavelength dispersive X-ray analysis, 610
- Speotyto cunicularia*, 590
- Sphaerioidea, 574
- spider predation, 524
- spiders, 524
- Spirobolida, 548
  - Spirobolidae, 548
  - Spirobolus*, 544
  - Spirostreptida, 547
  - Spirostreptidae, 547
  - Staphylinidae, 574
  - Staphylinioidea, 574
  - Steganacarus magnus*, 506
  - STEM, 610
  - Stemmiulida, 550
  - stick insects, 572
  - Strepsiptera, 572
  - succession of humus forms, 500
  - swallows, bank, 590
    - cliff, 590
  - Symphyla, 544–545, 549
  - Tarsonemidae, 527, 533
  - Tectocepheus velatus* (Michael), 527
  - Tenebrionidae, 574–575
  - termite mounds, microstructure, 596
  - termites, 506, 572, 578, 582
    - plant decomposition, 604
  - Terpnacarus*, 528
  - thrips, 573
  - Tingupidae, 547
  - Tipulidae, 502, 510
  - Tomocerus minor*, 509
  - Tomocerus* spp., 507
  - Trichoptera, 572
  - Trogidae, 576
  - Tullbergiinae, 503
  - Tydeidae, 524, 527, 530, 533
  - Typhloblaniulus lorifer*, 551
  - Tyrophagous putrescentiae*, 530
  - Uropodina, 527
  - Valginae, 576
  - velatus* (Michael), *Tectocepheus*, 527
  - Vermiborolls, 605
  - Vermisol, 605
  - Vermudolls, 605
  - Vermustolls, 605
  - Vertagopus* sp., sun orientation in, 561
  - Vertagopus westerlundi*, 561
  - viruses, 619
  - WDXPA, 610
  - wireworms, 503
  - Xenylla maritima*, 561

xeric protorendzina, 507  
Xystodesmidae, 547  
zoedaphon, 498  
Zoraptera, 572