



This work is licensed under the Creative Commons Attribution-Noncommercial-Share Alike 3.0 United States License. To view a copy of this license, visit <http://creativecommons.org/licenses/by-nc-sa/3.0/us/> or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California, 94105, USA.

C O N T E N T S

| | |
|--|-----|
| Guest editorial - The role of the amateur in entomology | 1 |
| Adisoemarto - The Asilidae (Diptera) of Alberta | 3 |
| Book review | 91 |
| Book review | 93 |
| Frank - A serological method used in the investigation of the predators of the pupal stage of the winter moth, <i>Operophtera brumata</i> (L.) (Hydriomenidae) | 95 |
| Book review | 106 |
| Sarai - Effects of temperature and photoperiod on embryonic diapause in <i>Nemobius fasciatus</i> (DeGeer) (Orthoptera, Gryllidae) | 107 |
| Book review | 136 |
| Guest editorial - Fascinating taxonomy | 137 |
| Madge - A revision of the Genus <i>Lebia</i> Latreille in America north of Mexico (Coleoptera, Carabidae) | 139 |
| Book review | 243 |
| Guest editorial - The religious faith of the scientist | 245 |
| Murdoch - The biology of the lilac leaf miner, Fabr. (Lepidoptera : Gracillariidae) | 247 |
| Bueger - Sense organs of the labra of some blood-feeding Diptera . | 283 |
| Book review | 291 |

- Abax*, 95, 100
 parallelepipedus, 95, 99, 102
Acacesia, 277
Acheta commodus, 108
 diapause in, 114, 119, 125, 131
 Adisoemarto, S., 3
 Alberta, ecological regions, 4, 70
 Alex, A.H., 6, 66
 Alexander, G., 127, 134
 Alexander, N., 132, 134
 Alexander, R.D., 110, 133
Alexiopogon terricola, 12
 Allan, J.A., 3, 66
Altica chalybea, 141
 obliterata, 179
 woodsii, 141
 anatrepsis, 132
 Andrewartha, H.G., 107, 133
 Andrewes, H.E., 225
 animal communities, 93
 animal ecology, 93
Anisopogon, 27
Antheraea pernyi, 114
 antibodies,
 formation, 103
 of *Operophtera*, 95
 antigens,
 preparation of, 96
 antiserum,
 absorption technique, 101
 preparation of, 96, 103
 production of, 97
Aphelogenia, 166
 bilineata, 197
 bivittata, 196
 furcata, 190
 guttula, 199
 spraguei, 190
 vittata, 189, 190, 194
Arctia caia, 127
 Ash, *see* *Fraxinus*
 Asilidae,
 cannibalism, 6
 distribution, 3
 general description, 3
 habitats of adults, 4
 predators of, 7
 seasonal succession, 7
 subfamilies, 3
 Asilidae (of Alberta)
 distribution, 4
 feeding habits, 5
 subfamilies, 7
 taxonomy, 3, 7
 Asilinae, 7, 54
Asilus, 58
 abdominalis, 23
 aestuans, 56
 aridalis, 3, 6, 59, 63, 81, 90
 auriannulatus, 59, 62, 90
 cacopillogus, 55, 56
 callidus, 5, 58, 60, 73, 77, 79, 89
 cumbipilosus, 3, 6, 7, 59, 62, 90
 cylindricus, 53
 delusus, 58, 59, 81, 89
 erythrocnemius, 5, 6, 59, 61, 81
 gilvus, 52
 gramalis, 3, 5, 7, 59, 64, 81, 90
 maculatus, 55
 maroccanum, 44
 mesae, 5, 6, 7, 59, 90
 nitidifacies, 5, 59, 61, 82, 89
 occidentalis, 58, 59, 79, 89
 paropus, 59, 60, 77, 81
 ruficornis, 30
 sabaudus, 19
 snowi, 59, 61, 77
 assassin flies, *see* Asilidae
Bactria, 55
 Bail, T., 269, 280
 Baker, R.H., 4, 66
 Balfour-Browne, F., 225
 Ball, E.D., 110, 133
 Bates, H.W., 140, 225
 Beck, S.D., 132, 134
 Bigelow, R.S., 120, 134
 Birch, L.C., 107, 133
 birds, population studies, 91
 Blackwelder, R.E., 138, 225
 Blanton, F.S., 4, 66
 Blatchley, W.S., 110, 134, 225
 blowfly, 114
Bombomima, 44, 45
 columbica, 5, 46, 88
 fernaldi, 46, 47, 88
 insignis, 5, 46, 48
 partitor, 46, 88
 posticata, 5, 46, 47, 88
Bombyx mori, 107, 132
 Bonelli, F.A., 225
 Bořkovec, A.B., 243
 Boyden, A.A., 103, 104
 Bradley, J.C., 140, 225
 Bristowe, W.S., 6, 66
 Bromley, S.W., 4, 66
 Brooks, A.R., 3, 66
 Brown, J.H., 3, 67
 Browning, T.O., 114, 134
 Brullé, G.A., 225
 Buerger, G., 283, 288

- Burdick, H.C., 118, 134
 Burgess, A., 291
 cannibalism (in Asilidae), 6
 carabids, 95
Carabus bivittatus, 196
 cyanocephalus, 164
 vittatus, 166, 189
 Casey, T.L., 140, 225
Ceraturgus, 25
 Chaboussou, F., 141, 225
 Chadoir, M., 140, 225, 226
 chemosterilants, 243
 Chevrolat, L., 140, 226
Chortophaga viridifasciata, 127
Chrysolina varians, 141
Chrysops, 276
 nigripes, 283, 286
 Church, N.S., 118, 134
Clavator, 29
 sabulorum, 29
Clethrionomys glareolus, 102
Clubiona, 277
Coccinella septempunctata, 101
 Cole, F.R., 4, 67
 Cole, P., 114, 134
Comantella, 8, 9, 42
 fallei, 42, 43, 77, 87
 rotgeri, 42, 43
 Coquillett, D.W., 28, 67
 Cragg, J.B., 114, 134
 crickets, 107
 Crowle, A.J., 95, 104
 Csiki, E., 139, 226
Culicoides variipennis, 283, 284, 289
 Curran, C.H., 3, 67
 Curtis, J., 226
 Cushman, R.A., 141, 226
 see also, Isely, D.
Cymindis, 218
Cyrtopogon, 4, 9, 30
 albitarsis, 32, 36
 albovarians, 5, 32, 36
 auratus, 32, 77, 78, 86
 aurifex, 3, 32, 33
 auripilosus, 77
 bimacula, 5, 32, 34, 81
 dasyllis, 5, 32, 38, 81
 distinctitarsus, 3, 5, 32, 34, 71, 81
 glarealis, 3, 32, 36
 inversus, 3, 32, 36
 lineotarsus, 31, 37, 77
 melanopleurus, 34
 montanus, 32, 35, 86
 nebulosus, 38
 nigator, 31
Cyrtopogon, (cont.)
 nigator, 32, 38
 praepes, 32, 34
 sansoni, 5, 31, 37
 willistoni, 5, 32, 33, 77
 Danilyevsky, A.S., 107, 134
Dasyllis insignis, 48
 pubescens, 49
 vivax, 51
Dasygogon aeacus, 23
 argenteus, 9
 candidus, 10
 diadema, 6
 elegantulus, 9
 fasciventris, 10
 fimbriatus, 31
 gelascens, 10
 manicatus, 27
 nigripennis, 25
 pilosellus, 11
 politus, 29
 spatullatus, 24
 trifasciata, 9
 trifasciatus, 10
 Dasygogoninae, 7, 8
 genera, 8
 Dasygogonini, 8
Daulopogon, 11
 terricola, 12
 Defalco, R., 103, 104
 Dejean, P., 226
 Dempster, J.P., 95, 105
Dendroica petechia, 276
Dendrolimus pini, 127
Deutzia, 261
Dianchomena, 166
 abdominalis, 198
 aemula, 196
 bilineata, 197
 convictor, 198
 devincta, 196
 miranda, 188
 quadrivittata, 196
 scapularis, 187
 diapause, 107
 Dickson, R.C., 107, 134
Dictyna annulipes, 277
Digitaria sanguinalis, 110
 Dimmock, F., 264, 280
Diogmites angustipennis, 6
 Diptera, *see also* Asilidae, 3, 283
 blood-feeding, 283
Dromius apicalis, 208
Echimothus, 164
 ecology, 93

- ecological methods, 136
Efferia, 56
 candidus, 56
 electrophoresis, 102
 Elton, C.S., 93
 embryogenesis, 114
 entomologists, 1
 entomology, amateur, 1
 beginnings, 1
 classification, 1
 World Congresses, 1
Erannis, 102, 103
 antigen, 100
 aurantiaria, 99
 defoliaria, 99
Erax, 56
 bicaudatus, 57
 canus, 57
 costalis, 58
 rufibarbis, 56
 subcupreus, 5, 57
Euarmostus, 30
 bimacula, 30, 34
Eucyrtopogon, 8, 9, 38
 albibarbis, 5, 39, 40, 87
 calcarata, 39, 41
 comantis, 39, 40, 82
 diversipilosus, 39, 42, 82
 incompletus, 3, 39, 40, 73, 76, 80
 nebulosus, 39, 42
 spinigera, 39, 41
Euomyzus, 261
Eupalamus, 30
 alpestris, 30
 Evans, H.E., 106
 Fabricius, J.C., 140, 226
 Feinberg, J.G., 105, 106
 flea beetle, 141
 Forbes, W.T., 226, 255, 280
Formica neoclara, 276
 Fourcroy, A.G., 226
 Frank, J.H., 95, 105
 Freund, J., 97, 105
Fraxinus, 248, 261
 americana, 251
 diversifolia, 251
 excelsior, 249, 250, 251, 281
 pennsylvanica, 251
 potamophila, 251
 pubescens, 251
 rotundifolia, 250
 Fulmek, L., 255, 280
 Fulton, B.B., 110, 134
Galerucella cavicollis, 141
 luteola, 141
 gamma globulins, 98, 101
 Gemminger, M., 226
 Geoffroy, E.L., 226
 Gladstone, G.P., 98
Glossina morsitans, 284, 286, 290
 palpalis, 283, 286
Gonypes, 53
 Gooding, R.H., 243
Gracillaria syringella, 247
 adaptations, 263
 dimensions, 256, 257
 dispersal, 278
 distribution, 249, 250
 history, 249
 host plants, 261
 larval structure, 265
 leaf rolling, 268
 life cycle, 258
 mines, 267
 mortality, 275
 populations, 270, 271
 Gradwell, G.R., 95, 105
 Graham, P., 91
Grapholitha molesta, 129
Gryllulus mitratus, 119
Gryllus pennsylvanicus, 119, 132
 habitat systems, 93
Haematobia irritans, 284, 287, 289
 Haldeman, S.S., 226
 Halliburton, W.H., 127, 134
 Harvey, W.R., 107, 134
 Hatch, M.H., 140, 226
 Heald, F.D., 269, 280
 Hebard, M., 110, 134
Heteropogon, 9, 27
 wilcoxi, 3, 28, 73, 80, 81, 86
 Hentz, N.M., 226
 Hering, E.M., 261, 263, 266, 280
 Hine, J.S., 56, 67
 Hogan, T.W., 114, 135
 Hogan's method, 108
Holopogon, 9, 25
 albipilosa, 26
 albipilosus, 5, 71, 78, 80, 86
 nigripilosa, 3, 5, 26, 27, 81
 seniculus, 26
Homalops, 164
 Horn, G.H., 140, 227
 Hull, F.M., 3, 67
 Hutchings, C.B., 251
Hybomitra rupestris, 283, 285, 289, 290
 Hydriomenidae, 95
 immunoelectrophoresis, 102
 insect populations, 136
 Isely, D., 141, 226

- Itopectis quadricingulata*, 247,276 *Lebia*, (cont.)
 James, M.T., 6, 68
 Jobling, B., 283, 288
 Johnson, C.M., 104, 105
 Kaltenschach, J.H., 261, 280
 Kogure, M., 107, 135
 Kozhanchikov, I.V., 114, 135
 labrum, 283
 Lack, D., 91
Lamprias, 164, 219
 cyaneus, 177
 cyaneipennis, 176
 limbicollis, 180
Laphria, 44, 48
 aeatus, 5, 49, 50, 80
 aimatis, 48, 52, 88
 fulvithorax, 45
 gilva, 5, 48, 52, 88
 index, 3, 5, 49, 51
 janus, 5, 49, 51, 73, 78, 82, 88
 posticata, 47
 sackeni, 88
 sadales, 5, 48, 49, 80
 scorpio, 3, 5, 49, 50, 72, 78, 80, 87
 vivax, 49, 51
 vultur, 88
 xanthippe, 48, 49, 76, 79, 80, 82, 87
Laphriinae, 7, 43
 de LaPorte, F., 227
Lasiopogon, 4, 8, 11
 aldrichi, 12, 18, 79, 80
 canus, 3, 12, 17
 cinereus, 12, 15, 71, 75, 77, 80, 83
 hinei, 3, 5, 12, 18
 prima, 3, 12, 16, 80, 81, 83
 quadrivittatus, 5, 6, 7, 11, 14, 76, 78
 ripicola, 12, 15, 77
 terricola, 5, 11, 12, 71, 83
 trivittatus, 3, 5, 11, 13, 77, 83
 Latreille, P.A., 140, 227
 Leach, W.E., 227
 leaf miners, 247
Lebia,
 abditata, 201
 abdominalis, 198, 229
 abrupta, 170
 adolescens, 178
 aemula, 196
 affinis, 180
 amicola, 190
 analis, 184, 208, 230, 234, 239
 anchora, 184
 appendiculata, 184
 arizonica, 175
 ashenvillensis, 208
 atriceps, 155, 232, 241
 atriventris, 153, 232
 axillaris, 208
 barbarae, 176
 bicincta, 171
 bilineata, 197
 bitaeniata, 171, 230
 bivittata, 196, 229, 231, 235
 bonellii, 184
 borea, 170
 bracata, 178
 brunnea, 208
 brunnicollis, 218
 bumeliae, 213
 calliope, 212
 callizona, 212
 canonica, 203
 castigata, 178
 characters of, 142
 chloroptera, 218
 cobaltina, 178
 color of, 142
 collaris, 208, 214
 concinna, 165
 conjungens, 190
 convictor, 198
 cyanea, 177, 181
 cyaneella, 177
 cyaneipennis, 176
 cynica, 177
 debiliceps, 190
 deceptrix, 158, 232, 229, 230
 depicta, 190
 devincta, 196
 distribution, 144
 divisa, 165, 230, 233
 doubtful species, 218
 duluthiana, 178
 enormis, 154
 erythrocephala, 208
 esuriens, 211
 evoluta, 178
 flaviventris, 218
 flavolineata, 187, 218
 flavovittata, 189
 fluviatilis, 208
 frigida, 208
 frontalis, 170
 frugalis, 215
 furcata, 189, 231
 fuscata, 203, 208
 grandis, 161, 229, 230, 232
 guttula, 199
 histricea, 178

- Lebia* (cont.),
histrionica, 193
illini, 215
incitata, 178
insulata, 202, 229
key to species, 148
lecontei, 163, 229
lecta, 213
lobulata, 207, 218
ludoviciana, 215
maculicornis, 215
magica, 178
magister, 161
majuscula, 161
male genitalia, 143
marginella, 208
melaena, 176
metuens, 199
miranda, 188, 235
moesta, 177
montana, 176
morphology, 142
nanulina, 155
nigricapitata, 195
nigripennis, 208
nigrosignata, 193
ornata, 184, 208, 218, 231, 236, 239
papago, 178
pectita, 194
perallida, 206
perita, 182
phylogeny, 218
planifera, 178
pleuritica, 173
primalis, 159, 232
prominens, 178
pulchella, 167, 168, 230, 233
pumila, 215, 229
punctifera, 218
quadrivittata, 196
reperta, 208
rhodeana, 170
rhodopus, 215
rivularis, 161
ruficollis, 176
rufopleura, 172
scalpta, 186, 234
scapula, 183, 230, 234
scapularis, 166, 187, 189, 190, 218
scutellata, 193
smaragdula, 177
solea, 187, 229, 230, 235
somonae, 190
subaffinis, 178
subdola, 157, 232
- Lebia* (cont.),
subfigurata, 218
subgrandis, 160, 230, 232
sublimata, 218
subrugosa, 205
tahoensis, 167
tempeana, 190
tertearia, 215
testacea, 163, 164
tricolor, 156, 232, 239
trucheensis, 178
tuckeri, 174
vermiculina, 178
virginica, 208
viridipennis, 170, 229, 233, 238
viridis, 177, 180, 215, 229, 230
vittata, 189, 190, 231, 235, 237
vivida, 167
websteri, 187
- Lebida*, 165
Lebis solea, 167
LeConte, J.L., 227
Lees, A.D., 107, 135
Leng, C.W., 227
Leone, C.A., 103, 105
Lepidoptera, 95
Leptinotarsa decemlineata, 141
Leptogaster, 53
aridus, 3, 5, 7, 53, 54, 73, 78, 80, 82
coloradensis, 3, 54
Leptogastrinae, 7, 53
Lestomyia, 9, 29
sabulonum, 5, 6, 7, 29, 76, 80, 81
Lia femorata, 171
Libby, R.L., 103, 105
Ligustrum, 248, 261
californicum, 251
japonicum, 251
ovalifolium, 251
vulgare, 251
lilac, *see* *Syringa*
Lindroth, C.H., 181, 227
Linnaeus, C., 1, 227
Lissoteles, 9
hermanni, 9
Listroderes obliquus, 131
Locustana pardalina, 132
Loxopeza atriceps, 155
atriventris, 153
enormis, 154
grandis, 161
magister, 161
majuscula, 161
nanulina, 155
pimalis, 159

- Loxopeza* (cont.),
rivularis, 161
testacea, 164
tricolor, 156
tuckeri, 176
Lucilia sericata, 114, 131
Lugger, O., 110, 135
Lutshnik, V.N., 227
Määr, A., 254, 259, 261, 280
Madge, R.B., 139
mammals, bibliography, 137
 experimental, 96
Martin, C.H., 3, 4, 68, 69
Masaki, S., 118, 135
Matthee, J.J., 132, 135
Melander, A.L., 4, 68
Melanoplus bivittatus, 125
 devastator, 127
 mexicanus, 125
Melin, D., 4, 68
Metabola, 166
 rufopyga, 166
 vivida, 167
Microbembix, 106
Miller, R.S., 93
Moss, E.H., 3, 69
Motschoulsky, V., 140, 227
Mycobacterium butyricum, 97
McKelvey, S.D., 248, 281
Nebria, 101
 brevicollis, 101
Negasilus, 65
 belli, 5, 65, 77, 81
Nemobius,
 age, 115
 alternating temp. effect, 124
 collection of, 108
 diapause, 107
 distribution, 110
 ecology, 108
 eggs, 126
 diapausing, 120
 post-diapause, 122
 pre-diapause, 119
 fasciatus, 107
 lab study, 115
 life cycle, 110
 low temperature effect, 127
 nymphs, development, 116
 effects of light on, 129
 oviposition, 132
 photoperiod, 115, 127
 seasonal rhythm, 111
 submergence of, 117
 temperature sensitivity, 112
Nemobius (cont.),
 voltinism, 113
 yezoensis, 127
Neopogon, 9
Nerax, 56
 bicaudatus, 6, 56, 72, 77, 79, 81, 82, 89
 canus, 57, 82
 costalis, 57, 58, 82
 subcupreus, 57, 82
Nicocles, 8, 29
 analis, 29
 punctipennis, 30
 utahensis, 30, 72, 73, 77, 78, 80
Nomadacris septemfasciata, 127
nomenclature, see also taxonomy
 code of, 2
Norris, M.J., 127, 135
Nossall, G.J.V., 95, 105
nymphal development,
 in *Nemobius fasciatus*, 116
Nyssoninae, 106
Odynsky, W., 3, 69
Oliver, A.G., 228
Omalomorpha, 164
Operophtera brumata, 95
 antigen, 96, 100
 collection of predators of, 96
Orthoptera, systematics of, 3
Ospricerus, 8, 23
 abdominalis, 23, 24, 71, 80
 aeacides, 24
 consanguineus, 23, 24, 80, 83
 pumilus, 23, 24, 25
 ventralis, 24
Ouchterlony concept, 104
Palamopogon, 31
 alpestris, 31
Parasemia plantaginis, 127
Phalera bucephala, 131
Philammosius, 31
Philodromus aureolus, 277
Philonthus decorus, 95, 100, 101, 102
Phlebotomus papatasi, 132
Phormia regina, 100
photoperiod, 107
photonreflectometer, 103
Phyllyrea media, 261
Pinacodera, 218
Podotria, 25
Poecilostola, 163
Pogonosoma, 43, 44
 ridingsi, 79
 stricklandi, 3, 45, 72, 73, 76, 80, 81
Polycheloma, 163, 219
Populus nigra, 261

- precipitin reaction, 100, 102
 precipitin test, 98
 predator-prey studies, 95
 predators, of Asilidae, 7
 Pritchard, G., 94, 136
 privet, *see* *Ligustrum*
Proctacanthella, 55
 cacopiloga, 6, 7, 56, 72, 77, 79, 80, 89
Promachus, 54, 55
 dimidiatus, 55, 79, 82
 Proom, H., 103, 105
 proteins, precipitin reaction, 102
Pterostichus, 95
 madidus, 100, 102
 melanarius, 100, 102
 Pussard, R., 254, 258, 281
 Putzeys, J.A.A.H., 228
Pygostolus, 29
Quedius lateralis, 101
 Rakshpal, R., 118, 135
 Radio, P.A., 107, 135
 Reaumur, R.A.F. de, 249, 281
 robber flies, *see* Asilidae
Rosa, 276
 Roubaud, E., 132, 135
 Salt, R.W., 118, 134
 sand wasps, 106
 Sarai, D.S., 107
 Say, T., 140, 228
Scambus hispae, 247, 276
 Schaeffer, C.F.A., 228
 Schwarz, E.A., 228
Scleropogon, 19
 neglectus, 22
 picticornis, 19
 pumilus, 25
 Scudder, H.I., 283, 288
 seasonal succession,
 of Asilidae, 7
 sense organs, 283
 serological method, re:
 winter moth predators, 95
 Sich, A., 261, 281
 silkworm, 114
 Silvestri, F., 140, 228
 Simpson, G.G., 139, 228
Simulium venustum, 283, 284, 289
 vittatum, 283, 284
 Snodgrass, R.E., 228
 Southwood, T.R.E., 136
 Spencer, K.A., 2
 Speirs, R.S., 95, 105
 Sphecoidea, 106
Spilosoma menthastri, 131
 Stäger, R., 261, 281
 Steiner, A.L., 106
Stenopogon, 8, 19
 consanguineus, 24
 coyote, 6, 7, 20, 23, 71, 81
 gratus, 20, 21, 84
 inquinatus, 5, 6, 20, 71, 76, 78, 80, 85
 latipennis, 24
 modestus, 21
 morosus, 21
 neglectus, 6, 7, 20, 22, 74, 85
 obscuriventris, 5, 20, 71, 73, 84
 pumilus, 24
 rufibarbis, 20, 84
 univittatus, 21
Stenopogonini, 8
Stichopogon, 8, 9
 argenteus, 9, 71
 trifasciatus, 9, 10, 71, 74, 77, 78
Stichopogonini, 8, 11
Stilopogon, 9
 aequicinctus, 9
Stomoxys calcitrans, 284, 287, 289
 Strickland, E.H., 3, 69
 stridulation, 291
 Strohecker, H.F., 110, 135
 Strokov, V.V., 249, 258, 281
Symphoricarpos, 261
Syringa, 247, 261
 amurensis, 281
 chinensis, 248
 distribution, 248
 emodi, 250
 history, 248
 josikaea, 250
 pekinensis, 250
 persica, 250
 reflexa, 250
 rothomagensis, 248
 villosa, 250
 vulgaris, 248, 250, 251
Systema Naturae, 1
 taxonomy, *see also* nomenclature, 2
 of Asilidae, 7
 general, 137
Telejoneura, 55
Tetragnatha, 277
 Theobald, F.V., 258, 281
Thiodina, 277
 Thomas, E.S., 110, 133
 ticks (of Alberta), 3
 Trägårdh, I., 254, 281
Trupanea, 55
 Tuxen, S.L., 291
 Varley, G.C., 95, 105
 Vickery, V.R., 110, 135

voltinism, in *Nemobius fasciatus*, 113
Von Gernet, G., 283, 288
Wadsworth, C., 104, 105
Way, M.J., 94
Webb, R.A., 98
West, A.S., 95, 105
Wieme, R.J., 95, 105
Wigglesworth, V.B., 245
Wilcox, J., 4, 69
Williams, C.A., 102, 105
winter moth, *see Operophtera brumata*
World Congresses, 1
World Weather Records, 113
Wytham Woods, 93, 95