

This work is licensed under the Creative Commons Attribution-Noncommercial-Share Alike 3.0 United States License. To view a copy of this license, visit http://creativecommons.org/licenses/by-nc-sa/3.0/us/ or send a letter to Creative Commons, 171 Second Street, Suite 300, San Francisco, California, 94105, USA.

CONTENTS

| Editorial - The trumpet shall sound | 1 |
|--|-----|
| Awram - Effects of crowding on wing morphogenesis in Myzus persicae | |
| Sulz.(Aphididae; Hemiptera) | 3 |
| Craig - The clarification of a discrepancy in descriptions of maxillary | |
| musculature in larval Simuliidae | 31 |
| Editorial - Man and whose world? | 33 |
| McDonald - The life history of Cosmopepla bimaculata (Thomas) | |
| (Heteroptera: Pentatomidae) in Alberta | 35 |
| Klassen - Dispersal of mosquitoes | 39 |
| Sehgal - Descriptions of new species of flies of the family Agromyzidae | |
| from Alberta, Canada (Diptera) | 57 |
| Book review | 89 |
| Tawfik - Feeding mechanisms and the forces involved in some | |
| blood-sucking insects | 92 |
| Abdelnur - The biology of some black flies (Diptera: Simuliidae) | |
| of Alberta | 113 |
| Editorial - On the life and death of information | 175 |
| Krishnan - Lipid metabolism in Blattella germanica L.: composition during | |
| embryonic and post embryonic development | 177 |
| Matthews - A paleoenvironmental analysis of three late Pleistocene | |
| coleopterous assemblages from Fairbanks, Alaska | 202 |
| Tawfik - Effects of the size and frequency of blood meals on Cimex lectularius L | 225 |
| | |

INDEX

| Abdelnur, O.M., 113 | Anopheles albimanus, 48 |
|--------------------------------------|--------------------------|
| Acheta mitrara, 179 | aldrichi , 49 |
| Acridium peregrinum, 178 | atroparvus, 48 |
| Acylophorus, 210 | cantator, 49 |
| Adams, P.C.G., 48, 51 | culcifacies, 40 |
| Aedes, 39 | flavirostris, 48 |
| aegypti, 40, 50, 92 | freeborn i , 40 |
| head, 95 | funestus, 48 |
| mouthparts, 94 | gambiae, 42, 48 |
| albopictus, 49 | labranchiae , 48 |
| aldrichi , 44 | maculipennis, 39, 48 |
| albimanus, 92 | melas, 45 |
| cantator, 50 | minimus, 48 |
| cataphylla, 42 | pharoensis, 39, 48 |
| communus, 49 | quadrimaculatus, 40, 92 |
| dorsalis, 49 | saccharovi, 39 |
| fitchii , 40 | sollicitans , 48 |
| flavescens, 50 | sundaicus 39, 48 |
| leucocelaenus, 49 | vagus , 48 |
| nigromaculis , 50 | Ansell, G.B., 196, 197 |
| punctor, 42 | Aphididae, 3 |
| spencerii, 50 | aphids, alate, 3 |
| sollicitans, 39 | apterous, 3 |
| tarsalis, 42 | Aphodius, 211, 219 |
| taeniorhynchus 39, 49 | aquatic organisms, 117 |
| Aeshna, 117 | Arnason, A.P., 113, 166 |
| Agonum quinquepunctatum, 210, 219 | Arthropoda, 117 |
| Agrion, 117 | Athabasca River, 118 |
| Agromyza albertensis (n.sp.), 57, 77 | Athripsodes, 118 |
| ambigua , 58 | Awram, W.J., 3, 8, 29 |
| barberi, 59 | Babcock, K.L., 177, 198 |
| isolata, 60 | Bacot, A.W., 225, 256 |
| masculina (n.sp.), 57, 59, 78 | Bailey, S.F., 40, 51 |
| niveipennis, 58 | Ball, G.E., 75, 208, 223 |
| spiraeae, 60 | Barlow, C.A., 249, 256 |
| Agromyzidae (from Alberta), 57 | Barlow, J.S., 180, 198 |
| Alaska, 202 | Barnley, G.R., 159, 166 |
| biota, 204 | Barreda, E.A., 159, 166 |
| paleoenvironment, 202 | Barreda, E.A., 159, 166 |
| physical environment, 204 | Basrur, V.R., 113, 166 |
| Albrecht, G., 193, 197 | Bartlett, G.R., 182, 198 |
| Allais, J.P., 178, 197 | Beckel, W.E., 227, 256 |
| Amara alpina, 203, 210 | bed bugs, 92 |
| Anderson, G.B., 3, 29 | beetles (ground), 89 |
| Anderson, J.R., 117, 166 | behavior (mosquito), 40 |
| Annelida, 117 | Bell, W., 225, 256 |
| | |

| Bembidion, 209 | Cerodontha dorsalis, 65 |
|-----------------------------------|--|
| (Peryphus), 209 | occidentalis(n. sp.), 57,64,82 |
| grapei, 209 | Chew, R.M., 45, 53 |
| (Plataphodes), 209 | Chironomidae, 118 |
| arcticum, 209 | Chisholm Creek, 120 |
| Bennet-Clark, H.C., 101, 109 | Chojnacki, T., 196, 198 |
| Bennett, G.F., 148, 166 | Cholodkowsky, N., 92, 109 |
| Bidlingmayer, W.L., 40, 51 | Chordata, 118 |
| Bieber, L.L., 196, 198 | Choristoneura fumiferans, 47 |
| Bison priscus, 214 | Christophers, S.R., 92, 109 |
| black flies, 113 | Chrysolina, 211 |
| Blackith, R.E., 178, 198 | Chrysomelidae, 211 |
| | Chubb, H.S., 51, 53 |
| Blatchley, W.S., 35, 37 | cibarial dilators, 103 |
| Blattella germanica , 177 | pump, 101 |
| vaga , 192 | Cimex lectularius, 92, 225 |
| blood meals, 225 | blood meals, 225 |
| size effect, 227 | eggs, 238, 249 |
| Boell, E.J., 178, 198 | fecundity, 237, 245 |
| Bonnemaison, L., 3, 29 | |
| Bonnet, D.D., 49, 52 | head, 94 |
| Bowland, J.P., 197 | instars, 251 |
| Brachycentrus occidentalis, 117 | longevity, 241 moulting, 244 |
| Brachycera, 120 | ٥, |
| Brevicoryne brassicae, 3 | mouthparts, 93 nymphs, 227, 241 |
| Britton, M.E., 204, 223 | • • • • |
| Brown, A.W.A., 113, 167 | preoviposition period, 237, 245 |
| Brown, W.J., 223 | weight, 245 |
| Buerger, G., 96, 109 | Clarke, J.L., 40, 52 |
| Bugher, J.C., 50, 52 | Clements, A.N., 39, 52, 92, 109 |
| Burton, A.C., 108, 109 | Clifford, H.F., 166 |
| Burton, G.J., 50, 52 | Cnephia., 123 |
| Busnell, R.G., 192, 198 | emergens, 125, 153 |
| Busvine, J.R., 92, 109 | mutata, 113, 125, 151 |
| Buxton, P.A., 92, 109 | saileri, 125 |
| Byrrhidae, 211 | saskatchewana, 125 |
| Byssodon, 121 | Coleoptera, 45, 118 |
| Caenocara, 211 | fossils, 202 |
| Camelops, 214 | Colinvaux, P.A., 222, 223 |
| Cameron, A.E., 133, 167 | Collins, D.L., 117, 170 |
| Campbell, F.N., 192, 200 | Colymbetes, 210 |
| Canada, 33, fossils, 202 | Coope, G.R., 202, 223 |
| carabid, 202 | Cook, E.F., 31 |
| Carabus chamissonis , 203 | copulation (in Cosmopepla), 35 |
| truncaticollis , 209 | Corixidae, 118 |
| Carausius (Dixippus) morosus, 178 | corpus allatum, 241 |
| Carlsson, G., 140, 167 | Cosmopepla bimaculata (of Alberta), 35 |
| Carrol, K.K., 181, 198 | life history, 35 |
| Causey, O.R., 44, 52 | Cragg, F.W., 225, 256 |
| Ceratopogonidae, 120 | Craig, D.A., 31 |

| ~ | |
|-----------------------------------|--------------------------------|
| Cross Lake Creek, 119 | Drosophila, 11 |
| Crosskey, R.W., 166 | Dryptini, 89 |
| crowding (effects of), 3 | Dubois, R., 177, 198 |
| adults, 22 | Dunbar, R.W., 113, 168 |
| larvae, 24 | Durdan, A., 181, 200 |
| parents, 24 | Dyschirius, 209 |
| temporary, 17 | nigricornis, 209 |
| throughout reproductive period, 5 | Dytiscidae, 118, 210 |
| Crustacea, 117 | Eabry, H.S., 117, 170 |
| Cryobius, 208 | Ectemnia, 121 |
| Cryptophagidae, 211 | Edwards, F.W., 120, 168 |
| Cryptophagus, 211 | egg laying (in Cosmepepla), 35 |
| Culex pipiens berbericus, 39 | eggs (of Cosmopepla), 36 |
| fatigans, 50 | (of Simuliidae), 133 |
| quinquefasciatus, 50 | Ejercito, A., 48, 52 |
| salinarius, 50 | Elaphrus, 219 |
| tarsalis, 39, 50 | pallipes , 209 |
| Curculionidae, 211 | riparius, 209 |
| Curimopsis, 211, 222 | Elateridae, 211 |
| Cutkomp, L.K., 180, 199 | Elmore, C.M., 48, 52 |
| Cymindis, 210, 219 | embryogenesis, 177, 192 |
| Dalmat, H.T., 145, 167 | Enderlein, G., 92, 109 |
| Dame, D.A., 40, 52 | England climates, 202 |
| Daphnia, 117 | environment, postnatal, 7 |
| Das, G.M., 31 | prenatal, 7 |
| Davies, D.M., 147, 167 | Ephemerida, 117 |
| Davies, L., 120, 168 | Ephemeroptera, 117 |
| Davis, G.C., 51, 52 | Equus, 214 |
| Davis, N.T., 225, 256 | Esox lucius, 118 |
| DeCoursey, R.M., 36, 37 | Esselbaugh, C.O., 36, 37 |
| Decticus, 105 | Eusimulium, 121 |
| development (of Cosmopepla), 35 | Eva Creek, 202, 205 |
| Defant, F., 45, 52 | Evans, A.M., 92, 110 |
| DeFoliart, G.R., 139, 171 | Evans, W.G., 29, 36, 197 |
| DeMeillon, B., 42, 52, 225, 258 | Expo 67, 33 |
| Deonier, C.C., 159, 169 | Eyles, D.E., 39, 52 |
| Dethier, V.G., 129, 168 | Fairbanks, Alaska, 202 |
| Diacheila polita, 209 | frozen silts of, 204 |
| Dianous, 210 | Fairchild, G.B., 159, 168 |
| Dicke, R.J., 117, 166 | Fallis, A.M., 148, 168 |
| Dickerson, G., 92, 109 | Fast, P.G., 177, 198 |
| Dicrostonyx, 214 | fatty acids, 187 |
| Dindymus versicolor, 97 | Fawzi, M.H., 179, 198 |
| Diploptera dytiscoides, 192 | fecundity, 6 |
| Diptera, 47, 57, 113, 118 | feeding apparatus, 93 |
| dispersal (of mosquitoes), 39 | mechanisms, 92 |
| | rate & forces, 98 |
| & behavior, 40 | Felt, E.P., 39, 52 |
| & topographical features, 44 | |
| & wind, 41 | Fernando, W., 92, 109 |

Fink, D.F., 192, 198 Finkel, A.J., 192, 198 Griffiths, G.C.D., 58, 75 Gunstream, S.E., 45, 53 Finney, D.J., 230, 256 Guthrie, R.D., 205, 224 Flatbush (Andy's) Creek, 119 Gymnopais, 121, 123 flies (new species), 57 Gyorkos, H., 122, 174 Flint, W.P., 92, 110 habits (of Cosmopepla), 35 Florence, L., 92, 109 Habu, Akinobu, 89 Folch, J.M., 180, 189 Hadjijev, D., 197 food (of Cosmopepla), 35 Haeger, J.S., 40, 53 food canal, 96 Hagenomyia, 121 fossils (Coleoptera), 202 Handlirsch, A., 120, 169 ecological classification, 214 Happold, D.C.D., 113, 169 identification notes, 208 Harden, F.W., 40, 53 fossils (mammalian), 214 Harrison, L., 92, 110 fossils (pollen), 214 Hase, A., 225, 257 Fredeen, F.J.H., 113, 168 Hasset, C.C., 45, 53 French Creek, 119 hatching (of Cosmopepla), 36 Frey, D.G., 202, 224 Haufe, W.O., 47, 53 Frick, K.E., 57, 75 Hays, R.O., 40, 54 Friend, W.G., 225, 256 Hilditch, T.P., 177, 199 Fulleborn, F., 92, 109 Hill, D.L., 178, 199 Galun, R., 50, 55 Hinton, H.E., 31 Gammarus, 117 Hirudinea, 117 Garnham, P.A., 159, 169 Hitchen, C.S., 159, 169 Garrett-Jones, C., 48, 52 Headlee, T.J., 53, 54 Gartrell, 40, 46 Hearle, E., 44, 53 Gastropoda, 117 Helicopsyche borealis, 117 Geyh, M.A., 207 Helobdella stagnalis, 117 Giglioli, M.E.C., 45, 52 Helodon, 121 Gilbert, L.I., 177, 198 Hemimetabola, 234 Gilby, A.R., 177, 199 Hemiptera, 92, 118 Gillies, M.T., 45, 52 Heptagenia, 117 Gilmour, D., 177, 199 Heteroptera, 35 Giral, F., 180, 199 Hocking, B., 2, 29, 34, 36, 39, 40, 42, 53, 75, 108, Giral, J., 180, 199 113, 166, 169 Giral, M.L., 180, 199 Holmes, J., 166 Gjullin, C.M., 159, 169 Homoptera, 3 Glick, P.A., 47, 52 Hopkins, D.M., 212 Gnus, 121 Horsfall, 44, 53 Goiny, H.H., 159, 169 Horhammer, L., 182, 201 Golberg, L., 225, 258 Hoskins, C.H., 223 Gooding, R.H., 92, 110, 197, 240, 256 Howden, G.F., 178, 198 Gordon, R.M., 92, 109 Hughes, Col., 166 Gottlieb, M.I., 179, 200 Hughes, N., 166 Goulden, C.H., 5, 29 Hyalophora cecropia, 192 Goulding, R.L., 159, 169 hydrocarbon content, 186 Greenbank, D.D., 47, 53 Hydrophilidae, 118 Greenslade, P.J.M., 202, 224 Hydropsyche, 117 Grenier, P., 120, 169 recurvata, 117

| | LaDelman I.A.A. 40 54 |
|---|--|
| hypsotaxis, 44 | LePrince, J.A.A., 48, 54 |
| Imms, A.D., 92, 110 | Leptocella, 118 |
| incubation period (of <i>Cosmopepla</i>), 36 | Lepyrus gemellus, 211 |
| insect fats, 177 | Leucophaea maderae, 179 |
| insect fossils, 202 | life history (of <i>Cosmopepla</i>), 35 |
| insects (and man), 33 | Limnephilus canadensis, 117 |
| (as trumpeters), 1 | Lindquist, A.W., 40, 54 |
| blood-sucking, 92 | Lindroth, C.H., 45, 54, 203, 224 |
| intraspecific interaction, 9 | lipid metabolism, 177 |
| Irish Creek, 119 | lipids (extraction), 181 |
| Ivanova, L.V., 45, 53 | (purification), 181 |
| Jamnback, H.A., 113, 172 | Liriomyza assimilis, 67 |
| Janisch, E., 225, 257 | conspicua (n. sp.), 57, 66, 83 |
| Jeffery, G.M., 92, 110 | cordillerana(n.sp.), 57, 69, 72, 85 |
| Jenkins, D.W., 45, 53 | eupatori , 68 |
| Jobbins-Pomeroy, A.W., 133, 177 | flaveola , 71 |
| Johansson, A.S., 240, 257 | flavonigra, 67 |
| Johnson, B., 3, 29 | graminicola , 68 |
| Johnson, C.G., 225, 257 | montana (n.sp.), 57, 67, 84 |
| Jones, R.M., 225, 257 | pedestris, 68, 70 |
| Kalmus, H., 44, 53 | richteri, 68 |
| Kassianoff, L., 225, 257 | septentrionalis(n.sp.), 57, 70, 86 |
| Kemper, H., 92, 110, 225, 257 | Livingston, D.A., 222, 224 |
| Kennedy, J.S., 41, 53 | Locke, M., 225, 257 |
| key to Simuliidae, 122, 125 | Locusta migratoria , 178 |
| Kilby, B.A., 177, 199 | pardalina , 179 |
| Kindler, J.B., 159, 170 | Lofgren, C.S., 180, 199 |
| Kinsella, J.E., 177, 199 | Low, N., 48, 54 |
| Kirkpatrick, T.W., 39, 53 | Lowry, O.H., 251, 257 |
| Klassen, Waldemar, 39, 40 | LT ₅₀ , 230, 235 |
| klinokinesis, 45 | Ludwig, D., 192, 199 |
| Knowlton, G.F., 113, 172 | Lumsden, W.H.R., 92, 109 |
| Krishnamurthi, 197 | Lupinus sericeus, 75 |
| Krishnan, Y.S., 177 | McCarthy, R.D., 181, 200 |
| Kumm, H.W., 44, 52 | McCay, C.M., 179, 199 |
| laboratory rearing (roaches), 180 | MacCreary, D., 45, 54 |
| (Simuliids), 145 | McCrae, A.W.R., 166 |
| Lafon, M., 178, 199 | McDonald, F.J.D., 35 |
| Landau, R., 112, 170 | MacDonald, W.W., 47, 54 |
| Larson, D.J., 91 | McDuffie, W.C., 113, 169 |
| larviposition, 6 | McGee assemblage, 220 |
| Lathrobium, 210 | MacGillivray, M.E., 3, 29 |
| Lea, A.O., 159, 170 | McMahon, J.P., 159, 169 |
| Lebia, 90 | Mackerras, I.M., 145, 170 |
| bifenestrata, 90 | Mackerras, M.J., 145, 170 |
| Leech, R., 166 | Macrosiphum solanifolii, 3 |
| Lees, A.D., 3, 29 | Maddock, D.R., 159, 170 |
| Lees, M., 180, 198 | Madge, R., 89 |
| Lemurimyza pallida (n.sp.), 57, 72, 87 | Mammuthus, 214 |
| | |

| | Odanashini 90 |
|--|--|
| man, 33 | Odacanthini, 89 |
| Mangold, G.K., 181, 199 | Odonata, 117 |
| Mason, W.R.M., 204, 224 | offspring (of aphids), 3 |
| Matsuda, R., 31 | survival rate, 24 |
| Matthee, J.J., 179, 199 | O'Kane, W.C., 133, 171 |
| Matthews, J.V., 202 | oleic acid, 187 |
| maxillary musculature (Simuliidae), 31 | Olophrum, 210 |
| Maynard, L.A., 179, 200 | Omaliinae, 210 |
| Melanagromyza, 62 | Omori, N., 225, 258 |
| Mellampy, R.M., 179, 200 | Oncopeltus, 97 |
| Mellanby, K., 225, 257 | Ophiomyia monticola (n.sp.), 57, 60,62,79 nasuta, 61 |
| Melanoplus atlanis, 180 | • |
| differentialis, 178 | pulicarioides (n.sp.), 57, 61, 62, 80 |
| sanguinipes, 180 | punctohalterata, 62 Orgain, H., 40, 52 |
| Merriam's lifezones, 204 | |
| Metcalf, C.L., 92, 110, 141, 170 | Osborn, H., 147, 171 |
| Mickel, C.E., 113, 171 | Osborne, P.J., 202, 224 |
| Micralymma, 210, 221 | Ovibos moschatus, 214 |
| Microtus gregalis, 214 | Ovis nivicola, 214 |
| Miles, P.W., 97, 110 | Paederinae, 210 |
| Mitchell, P.H., 98, 110 | Paige, R.A., 204, 224 |
| Mollusca, 117 | paleoenvironment (of Alaska), 202 |
| Moorebdella ferrida, 117 | Parasimulium, 121, 123 |
| Morland, H.B., 40, 54 | parasites (of Cosmopepla), 36 |
| morphology (of Simuliidae), 31 | Pasternak, J., 113, 171 |
| Morychus, 211 | Patton, S., 181, 200 |
| mosquitoes (dispersal), 39 | Patton, W.S., 92, 110 |
| (passive transport), 47 | Pausch, R.D., 40, 54 |
| movement, along lines, 45 | Pawlowsky, E., 92, 110 |
| toward illumination, 45 | Peacock, A.D., 92, 110 |
| with strata of vegetation, 45 | Pearincott, J.V., 196, 200 |
| Moxostoma, 118 | Pearson, R., 202, 224 |
| Muirhead-Thomson, R.C., 159, 170 | Peck, O., 36 |
| Munson, S.C., 179, 200 | Pediculus humanus, 92 |
| myristic acid, 187 | head of, 96 |
| Myzus persicae, 3 | Pembina River, 118 |
| Nebria nivalis, 203 | Pentatomidae, 35 |
| Needham, J., 177, 200 | Periplaneta americana, 178 |
| nematodes, 162 | Peterson, B.V., 166 Peterson, D.G., 113, 171 |
| Nemoura, 117 | Petrishcheva, P.A., 159, 171 |
| Nicholson, H.P., 113, 170 | Péwé, T.L., 204, 224 |
| Nielsen, E.T., 40, 54 | Phelps, R.J., 139, 171 |
| Niemierko, W., 177, 200 | |
| Nimmo, A., 166 | Phillipson, J., 140, 171 |
| Noble, L.W., 47, 52 | phospholipids, 178, 187 |
| Notiophilus, 209 | Phytobia amelanchieris, 63 |
| borealis, 209 | flavohumeralis(n.sp.), 57, 62, 81 |
| semistriatus, 209, 219 | (Phytobia) setosa, 63 |
| Nuttall, G.H.F., 92, 110 | waltoni, 63 |

| 71 | |
|-----------------------------------|--|
| Phytomyza agromyzina, 75 | Pterostichus (Cryobius) |
| angelicella ,74 | nivalis , 210, 221 |
| aquilegiana, 74 | ochoticus, 209, 221 |
| lupini (n.sp.), 57, 73, 88 | parasimilis, 209, 221 |
| lupinivora (n.sp.), 57, 74, 88 | pinguedineus , 209 , 221 |
| Pickard, E., 45, 55 | similis, 209, 221 |
| Pickering, L.R., 141, 169 | soperi, 209 |
| Piechowska, M.J., 196, 198 | tareumiut, 209, 221 |
| Pimephales promelas, 118 | ventricosus, 210, 221 |
| Pisces, 118 | Pterostichus (Sterocerus) haematopus,210,221 |
| Plecoptera, 117 | Pulmonata, 117 |
| Pleistocene assemblages, 202 | Puri, I.M., 31 |
| Poisson, R., 35, 37 | Quarterman, K.D., 51, 54 |
| pollen analysis, 220 | Radzivilovskaya, A., 120, 172 |
| Polycentropus, 118 | Rageau, J., 120, 169 |
| Popillia japonica, 192 | Rainey, R.C., 192, 100 |
| population densities (effects), 5 | Ramazzotto, L.J., 192, 199 |
| on fecundity, 27 | Rangifertarandus, 214 |
| on longevity, 27 | Raphanus sativus, 4 |
| on offspring, 27 | Rhodnius prolixus, 101, 227 |
| (on Simuliids), 138 | Rhopalosiphum prunifolia, 3 |
| postembryonic development | Ribbands, C.R., 44, 54 |
| (of Cosmopepla), 36 | Richards, W.R., 113, 169 |
| Prevost, G., 113, 171 | Rickard, E.R., 48, 54 |
| Prosimulium, 121, 123 | Robinson, G.G., 92, 110 |
| decemarticulatum, 125 | Roeder, K.D., 108, 110 |
| fontanum, 113 | Rosentiel, R.G., 40, 55 |
| frohnei, 113 | Ross, H.H., 192, 200 |
| formosum, 113 | Ross, R., 40, 55 |
| fulvum, 113, 125 | Roth, L.M., 192, 200 |
| fuscum, 113, 123 | Rothfels, K.H., 113, 172 |
| hirtipes, 113 | Rothstein, F., 192, 200 |
| mixtum, 113 | Roy, D.N., 249, 258 |
| onychodactylum, 113, 125 | Rubtzov, I.A., 120, 172 |
| pleurale, 125 | Rudolfs, W., 192, 200 |
| travisi, 113, 125, 151 | Russell, P.F., 40, 55 |
| protein content, 251 | Rutschky, C.W., 177, 198 |
| Provost, M.W., 39, 54 | Sacharov, N.L., 179, 200 |
| Psilozia, 121 | Saf'yanova, V.M., 159, 171 |
| Psorphora, 51 | Sanderson, M, 223 |
| Pterostichus, 208 | Sane, P.V., 197 |
| (Cryobius), 209 | Santiago, D., 48, 55 |
| anriga, 209 | Sato, S., 44, 55 |
| brevicornis, 210, 221 | Sautet, J., 40, 55 |
| caribou, 210, 221 | Scarabaeidae, 211 |
| chipewyan, 209 | Schaefer, C.W., 225, 256 |
| gerstlensis, 209 | Schiemenz, H., 92, 110 |
| kotzebuei , 209 | Schneidermann, H.A., 192, 198 |
| mandibularoides, 210, 221 | Schoof, H.F., 40, 51 |
| manawaarmaes, 210, 221 | Benoof, 11.1°., 40, 31 |

| Schweet, R.S., 179, 200 | Smith, G.F., 47, 55 |
|------------------------------------|---|
| Scoggin, J.K., 177, 200 | Smith, C.N., 109 |
| Scott, J., 109 | Smyth, T., 178, 199 |
| Scydemaenidae, 211 | Snodgrass, R.E., 92, 110 |
| Sehgal, Vinod K., 57 | Snow, W.E., 45, 55 |
| sense organs, 96 | Sommerman, K.M., 113, 172 |
| (of Cimex), 97 | Rees, D.M., 44, 54 |
| Sharplin, J., 166 | Reeves, W.C., 50, 54 |
| Shemanchuk, J.A., 50, 55, 113, 169 | Regan, F.R., 159, 170 |
| Shewell, G.E., 120,172 | Reger, R., 223 |
| Shotton, F.E., 202, 224 | Rempel, J.G., 49, 54 |
| Siakotos, A.N., 179, 200 | respiration rate, 253 |
| Sikora, H., 92, 110 | Spector, W.S., 251, 258 |
| Silpha sagax , 211 | Spencer, K.A., 57 |
| trituberculatus, 211 | Sphenarium purpurascens, 180 |
| Silphidae, 211 | Stachys palustris, 35 |
| Simpolcaria, 211 | Stage, H.H., 44, 55 |
| Simuliidae, 113 | Stains, G.S., 113, 172 |
| adults, 148 | Staphylinidae, 210 |
| control, 159 | starving (effects), 3, 27 |
| larvae, 31, 134 | Stearns, L.A., 49, 54 |
| larval migration, 142 | Stegoconops spegassinii, 51 |
| life history, 151 | Stegopterna, 121 |
| maxillary musculature, 31 | Steiner, G., 41, 55 |
| pupae, 147 | Stenus, 210 |
| Simulium , 123 | sterol content, 186 |
| arcticum, 125, 153 | Stojanovich, C.J., 92, 111 |
| aureum, 113, 125, 154 | Stone, A., 113, 173 |
| bivittatum, 125 | Strickland, E.H., 113, 173 |
| corbis, 125 | stroking, 11 |
| decorum, 124, 155 | (effects), adults, 12 |
| griseum, 125 | larvae, 16 |
| hunteri, 124 | Syme, P.D., 147, 167 |
| latipes, 113, 125, 155 | Swellengrebel, N.H., 48, 55 |
| luggeri , 124, 156 | Tachinus, 210 |
| malyshevi, 124 | Tachyporinae, 210 |
| meridionale, 124 | Taeniopoda auricornis, 180 |
| pictipes, 125 | Tauber, O.E., 177, 200 |
| piperi, 125 | Tawfik, M.S., 92, 225 |
| pugetense, 125 | Taylor, J., 50, 52 |
| rugglesi , 125 | taxonomic relationships (Coleoptera), 219 |
| transiens, 125 | Tettigonia, 105 |
| tuberosum, 113, 124, 156 | Theromyzon occidentalis, 117 |
| venustum, 113, 124, 157 | Tichimirov, A., 192, 201 |
| verecundum, 124, 157 | Timon-David, J., 177, 201 |
| vittatum, 113, 125, 158 | Titschack, E., 225, 258 |
| Slifer, E.H., 178, 200 | transport, passive, 47 |
| Sloane-Stanley, G.H., 180, 198 | Travis, B.V., 159, 173 |
| Smart, J., 120, 172 | Trichocellus porsildi, 210 |
| | Trichoceims porsitui, 210 |

Trichoptera, 117

Twinn, C.R., 113, 169 Twinnia, 121, 123 Umbreit, W.W., 251, 258 Urbino, C.M., 48, 52 Usinger, R.L., 109, 225, 258 VanBreeman, M.L., 48, 55 Vargas, L., 159, 173 Veraphis, 211 Vlasov, N.A., 159, 172 virginopara, apterous, 4 vitellogenesis, 240 Vogel, R., 92, 111 VonGernet, G., 96, 109 Wada, Y., 40, 55 Wadley, F.M., 3, 29 Wagner, H., 182, 201 Wanson, M.L., 159, 173 Weber, H., 92, 111 Wellington, W.G., 47, 55 Wenyon, C.M., 48, 55 West, A.S., 113, 171 Westwood, J.O., 120, 173 Wiegers, J.E., 223 Wigglesworth, V.B., 105, 111, 227, 258 Williams, C.B., 148, 173 Wilton, D.P., 159, 173 wing morphogenesis, 3 Wisconsin age, 202 Wolfe, A.S., 113, 171 Wolff, P., 182, 201 Wolfinsohn, M., 50, 55 Wood, D.M., 122, 167 Worcester, D.J., 49, 52 Wright, S., 98, 111

Wu, Y.F., 120, 174 Yakuba, V.N., 142, 174 Zahar, A.R., 120, 174 Zoller, H.S., 170, 200